Page 1 of 2

Minutes Louisiana Life Safety & Property Protection Board Baton Rouge, Louisiana May 8, 2007

Boyd Petty, Chairman	State Fire Marshal's Office
Roger Bourgeois	Portables
Tim Crockett	Security
Mitch Ewing	Fire Suppression
Bill Hattier	Security
Eric Houin	Sprinkler
Clayton Norred	Hydrostatic Testing
Danny Northcutt	Fire Alarm
Jim Queen	Locking Systems
Dave Sisolak	Sprinkler
Kay Thorn	Security
	Roger Bourgeois Tim Crockett Mitch Ewing Bill Hattier Eric Houin Clayton Norred Danny Northcutt Jim Queen Dave Sisolak

CALL TO ORDER

Chairman Boyd Petty called the meeting to order at 9:30 am at the Louisiana State Fire Marshal's Office in Baton Rouge. Boyd welcomed everyone and thanked everyone for coming.

GOALS & OBJECTIVES

Boyd passed out ACT # 307 and reviewed the objectives and goals of the board. The committee was tasked with establishing the initial certification and continuing education requirements for licensing.

OPERATING PROCEDURES

Boyd notified the committee that even though the law states that the committee's expenses may be reimburse there was currently no funds for that purpose. The next meeting was set for June 19, 2007. Boyd said members could attend by teleconference if the equipment was working in your area.

BOARD SECRETARY

Clayton Norred volunteered to be the board secretary.

Page 2 of 2

ESTABLISHMENT OF SUBCOMMITTEES The following subcommittees were established:

INITIAL CERTIFICATION Eric Houin, Chairman Roger Bourgeois Dave Sislock Bill Hattier Mitch Ewing

CONTINUING EDUCATION

Danny Northcutt, Chairman Kay Thorn Tim Crockett Jim Queen Dera DeRoche-Jolet

Chairman Petty asked that the work of the committees be completed by September or October of this year. He asked that any correspondence be sent to all board members.

NEW BUSINESS

Roger Bourgeois suggested that the committee have an ethics presentation at the next board meeting. Chairman Petty said that he would look into it.

There being no further business, the meeting was adjourned by Chairman Petty at 12:30 pm.